

CONSERVATION COMMISSION MEETING AGENDA
August 12, 2020
7:00 PM

Join from a PC, Mac, iPad, iPhone or Android device:

Please click this URL to join. <https://amherstma.zoom.us/j/96982361133>

Or join by phone:

Dial(for higher quality, dial a number based on your current location):

US: +1 301 715 8592 or +1 312 626 6799 or +1 646 876 9923 or +1 669 900 6833 or +1 253 215 8782 or +1 346 248 7799 or +1 408 638 0968

Webinar ID: 969 8236 1133

International numbers available: <https://amherstma.zoom.us/u/aoM8j6c8d>

7:00 PM **Comments from the Chair (Brett Butler)**
Director's Report (Dave)
Wetland Administrator's Report (Erin Jacque)
Minutes:

7:10 PM **Conservation Land Management – TBD**
• Complaint about work on Harkness Brook – Echo Hill

7:35 PM **Request for Determination** – Tata & Howard, Inc. for work associated with the Town of Amherst replacement of existing Well #4 (Map 27B, lot 25). Work proposed in two phases (1) installation of a 168-foot deep well with screen, (2) installation of submersible well pump, pitless adapter, water main, manhole with flow meter, valves, hydrant, fittings, wiring, etc. Work is located within 100-foot buffer to Bordering Vegetated Wetlands.

7:40 PM **Request for Determination** – Cold Spring Environmental on behalf of Kim Deshields for a (after the fact emergency) septic system repair within the 100-foot buffer zone to Bordering Vegetated Wetlands at 97 Hulst Road (Map 27D, lot 74).

Emergency Certification – 97 Hulst Road

Minor Administrative Change to Order of Conditions – Common School

33 Mountain View Road - Update

UMass Repaving

Requests for Certificate of Compliance – Hickory Ridge

Miscellaneous

- Other Business
- Monitoring Reports
- Topics not reasonably anticipated 48 hours prior to the meeting